



VOLUME 1

**TRUE.
AMERICAN.
ORIGINAL.**





FELLOW PATRIOTS,

As a small business rooted here in the United States, we understand firsthand what it means to live the American Dream. For us, it's more than just a phrase – it's the freedom to work hard, build something meaningful, and create opportunities not only for ourselves, but for our employees, families, and communities.

At the heart of that dream is American manufacturing. When we choose to make products here at home, we aren't just creating goods; we are investing in people. Every product built on American soil represents skilled hands, honest work, and pride in craftsmanship. It keeps jobs local, supports families, and ensures that the knowledge, skill, and tradition of American innovation continue to thrive for generations to come.

In today's global marketplace, it can be tempting to look elsewhere for cheaper alternatives. But we believe there is no substitute for the quality, reliability, and integrity that come from American-made products. When you support businesses like ours, you are supporting more than a product – you are supporting livelihoods, communities, and the very idea that through hard work and perseverance, anyone can succeed.

Living the American Dream is about more than profit. It's about building something lasting, something we can be proud of, and something that reflects the values this nation was founded on: independence, resilience, and opportunity. American manufacturing is the backbone of that vision, and it is our honor to play a small part in keeping it alive.

With gratitude,

Tracy DeSomma

Tracy DeSomma
President
POF-USA



FOUNDED ON INNOVATION

PROPRIETARY ENHANCEMENTS

POF-USA has positioned itself through superior engineering and design in making the AR platform the absolute best it can be. Each rifle is built with technology that is 100% unique to POF-USA rifles. These enhancements are explained in detail on our website (scan to read). These are enhancements that no other manufacturer can claim, as most of them prefer their comfort zone of fitting standard parts together instead of delivering reliable innovation to those that need it most - our Patriots.



LEARN MORE



ANTI-TILT BUFFER TUBE

Our mil-spec aluminum anti-tilt buffer tube features "carrier cradle" extensions to ensure that the carrier is always supported by the buffer tube even when the bolt carrier is fully forward. This prevents carrier tilt and premature wear of the buffer tube. The buffer detent now doubles as a lock that inhibits the buffer tube from rotating and becoming loose under adverse conditions. The anti-tilt buffer tube also features three drain holes.



KEYLOCK BOLT + CARRIER GROUP

Our Keylock Bolt Carrier Group is a Nitride heat treated carrier with stainless-steel gas key. It is secured with a staked screw and dove tailed into the carrier for an extremely rigid design that helps reduce carrier tilt.

ROLLER CAM PIN

Standard AR cam pins feature a square steel head that literally grinds and carves away at the inside of the receiver. POF-USA's nickel coated roller head actually rolls inside the channel of the upper thus eliminating friction and prolonging the life of the upper.



GEN 4 LOWER RECEIVER

The Gen 4 lower is the best of the best, no matter your shooting side or style. POF-USA redesigned the lower receiver from the ground up, not only improving the ergonomics and fitment, but also making it fully ambidextrous. Featuring a strong hand bolt hold open and release, receiver tension screws, integrated QD cups, a flared magwell, and oversized trigger guard, the Gen4 Lower Receiver is the ultimate building platform.



E² DUAL-EXTRACTION TECHNOLOGY

POF-USA's patented E2 dual-extraction technology consists of four small channels cut into the walls of the chamber allowing a small amount of gas pressure to push against the neck of the spent case. This pressure assists in extraction by breaking the seal between the chamber and case as well as pushing the spent case to the rear as the extractor is pulling to the rear. This removes a tremendous amount of work that would otherwise be left up to the extractor.



OVERSIZED HEAT SINK BARREL NUT

The patented oversized heat sink barrel nut is one of the most significant innovations. At three inches long it completely encompasses the chamber and throat area of the barrel where expanding gas temperatures peak. Take into account the radiation properties of aluminum compared to traditional steel and you have 17 times more heat dissipation than a standard AR. Our barrel nut's 3" length also gives the operating rod substantial guiding surface assuring constant positive contact with the bolt carrier.



MOA GUARANTEE

All of our rifles are MOA guaranteed. You can count on your POF-USA firearm when your shot has to count.

MODULAR RAILED RECEIVER (M.R.R.)

The patented Modular Railed Receiver (M.R.R.) is POF-USA's crown jewel for precision and extreme rigidity. This is a two-piece upper assembly with a free-floating monolithic handguard that slides on and interfaces directly to the upper assembly thanks to our upper's reinforced backbone. This backbone is five-times thicker than standard flattop platforms. The suspended handguard keeps your grip and accessories from weighing on the barrel, providing for the most secure free-floating barrel on the market, and has more than 6 points of attachment securing the rail from experiencing any movement under stress.



**PATRIOT
SUPPRESSION
TECHNOLOGY**


MODEL

PST-7 SUPPRESSOR **NEW**

WEIGHT 16.8 OZ	CALIBER 7.62	LENGTH 6.43 IN
--------------------------	------------------------	--------------------------

PATRIOT SUPPRESSION TECHNOLOGY

3D printed monolithic design using Titanium Ti6Al4V, the PST-7 is a light weight suppressor with extremely low back pressure. The PST-7 provides the operator with sound, recoil, and flash mitigation for any 7.62mm weapon system. The PST-7 utilizes a three chamber, forward venting, monolithic design to reduce the mach pressure produced when firing the host weapon system. This design helps manage the cyclic rate of the host weapon system, while the forward exhaust ports help prevent gas blow back in the operators face. The PST-7 is protected by a high-temp Cerakote coating, features our PST HUB Adapter, and includes a 762 PST-QD Flash Hider.



1. PATENT PENDING
HELICAL CORE

2. MONOLITHIC TITANIUM
BODY

3. HUB COMPATIBLE

STANDARD FEATURES

Monolithic Titanium Ti6Al4V

3D-Printed Design

1.375-24 HUB Compatible

High-temp Cerakote

Modular HUB Mount designed for
PST-QD Muzzle Devices

LEARN MORE



TOMBSTONE

ACTION
LEVER ACTION

MODEL
16.5" RIFLE

WEIGHT
5.75 LBS

CALIBER
9MM

LENGTH
36 IN

MODERNIZED LEVER ACTION RIFLE

The Tombstone's compact overall length is just 36" and comes in at an ultra-light-weight 5.75lbs (unloaded weight). The proprietary trigger design features a smooth pull, and crisp break of 3.5lbs. The 16.5" free-floating 4150 steel barrel is complimented by POF's 10.5" Modular Receiver Rail (M.R.R.), with M-Lok slots at the 3, 6, 9, and a 2" picatinny rail at the 6 & 12 position. The integrated XS Ghost Ring sights allow for quick target acquisition and POF's removable dual port muzzle brake is ideal for fast follow-up shots.



CRISP 3.5 LB TRIGGER



20RD STANDARD MAGAZINE



OVERSIZED SHORT
THROW LEVER

STANDARD FEATURES

Free Float Fluted Barrel

XS Ghost Ring Sights

(1) 20rd Magazine

Two-Port Muzzle Brake

Hammer Half Cock Position

LEARN MORE





ACTION
DIRECT BLOWBACK

MODEL
16.5" RIFLE

WEIGHT	CALIBER	LENGTH
5.3 LBS	9MM	34 IN

THE ALL-AMERICAN PCC

Born from the ashes and designed from the ground up. The all new PHOENIX subgun is the perfect plinking platform yet built for serious duty. It's an ideal host for your suppressed shooting and features a 1913 picatinny rail at the rear, making future conversions or adding a brace a breeze. The direct blowback system has proven to be extremely reliable around the world. The PHOENIX will ship with a proprietary 35 round magazine, magazine loader, two port muzzle brake, single point adjustable sling (pistol only) and hand stop.



AMBI FOLDING CHARGING HANDLE



REAR 1913 RAIL + QD CUP



AMBIDEXTRIOUS LOWER RECEIVER



STANDARD FEATURES

- Match Grade 4150 Steel Barrel
- Midlength Gas System
- Monolithic Upper Receiver
- (1) 35rd Magazine
- Anodized or Cerakote Receiver Finish
- Monolithic Upper Receiver With MLOK Handguard
- 2 Port / Threaded 1/2x28 Muzzle

LEARN MORE



REVOLUTION

PISTON **PD** DRIVEN

ACTION
GAS PISTON



MOA
GUARANTEE

MODEL
16.5" RIFLE

WEIGHT 7.3 LBS	CALIBER .308 WIN 6.5 CM	LENGTH 34 IN
--------------------------	-------------------------------------	------------------------

THE AMERICAN REVOLUTION

The REVOLUTION uses a 5.56 bolt carrier and other 5.56 parts allowing for a shorter overall receiver size and reduced weight. This also isn't a normal small frame .308, it's smaller! It features many 5.56 parts; such as charging handle, bolt carrier, cam pin, buffer, heat sink barrel nut, handguard, and 5-position gas piston operating system. The barrel extension, bolt assembly, upper, and lower receiver are the exact same size as those on an AR15. Weighing in at 7.3 lbs. The Revolution features our new Edge Handguard with four built-in QD mounts, and is packed with all you've come to expect from POF-USA. Fully ambidextrous billet receiver set, nickel plated bolt carrier, 5-position adjustable gas piston, single stage match grade trigger, and more.



GEN 4 AMBI LOWER
RECEIVER



RENEGADE RAIL + HEAT
SINK BARREL NUT



ANTI-TILT
BUFFER TUBE



STANDARD FEATURES

- Match Grade 4150 Steel Barrel
- Rifle Length Gas System
- Piston Driven Action
- E2 Extraction Technology
- (1) 20rd Magazine

PATENTED TECHNOLOGY



E² Chamber



Heat Sink
Barrel Nut



Roller
Cam Pin

LEARN MORE



REVOLUTION

DIRECT **DI** IMPINGEMENT

ACTION
DIRECT IMPINGEMENT



MOA
GUARANTEE

MODEL
16.5" RIFLE

WEIGHT | CALIBER | LENGTH
6.8 LBS | .308 WIN | 6.5 CM | 34 IN

THE AMERICAN REVOLUTION

We broke barriers and won awards when we released the piston driven .308 Revolution. By popular demand, The Revolution DI provides the same technology, same durability, same features, and same AR-15 size, but in a smaller direct impingement system featuring our 9-position adjustable Dictator gas block and Renegade rail. There is virtually nothing left to upgrade. The original Revolution weighed in at a paltry 7.35 pounds, turning heads for its incredible light weight and small stature for a .308. The Revolution DI weighs even less at 6.8 pounds with a 16" barrel, making it ideal for just about any situation you put it in.



GEN 4 AMBI LOWER RE-CEIVER



RENEGADE RAIL + HEAT SINK BARREL NUT



ANTI-TILT BUFFER TUBE

STANDARD FEATURES

- Match Grade 4150 Steel Barrel
- Rifle Length Gas System
- Direct Impingement Action
- E2 Extraction Technology
- (1) 20rd Magazine

PATENTED TECHNOLOGY



E² Chamber



Heat Sink Barrel Nut



Roller Cam Pin

LEARN MORE



ROGUE

ACTION

DIRECT IMPINGEMENT

MODEL

16.5" RIFLE



MOA
GUARANTEE

WEIGHT

5.9 LBS

CALIBER

.308 WIN

LENGTH

34 IN

ITS ABOUT THE WEIGHT AND THE SAVINGS

Project "Rogue" was an exercise to turn the Revolution platform into the lightest .308 semi auto rifle on the market, and to do it without needless "lightening" cuts. All while delivering a rifle at a price point affordable to serious shooters. The result is a sub 6 pound .308 rifle packed with proprietary and patented innovations. Thanks to its ridiculously light weight, never before has a semi auto .308 been a more realistic option to carry in the field, no matter how far the journey. The Rogue features a stylized forged receiver set, stainless steel match grade barrel, Revolution DI BCG, ambidextrous selector, multiple QD sling attachment points, and Renegade rail & oversized heatsink barrel nut, all topped off with our Micro B muzzle brake.



LIGHTWEIGHT ROGUE
RECEIVER



RENEGADE RAIL + HEAT
SINK BARREL NUT



ANTI-TILT
BUFFER TUBE

STANDARD FEATURES

Match Grade Stainless Barrel

Mid-length Gas System

Direct Impingement Action

E2 Extraction Technology

(1) 20rd Magazine

PATENTED TECHNOLOGY



E² Chamber



Heat Sink
Barrel Nut



Roller
Cam Pin

LEARN MORE



PRESCOTT

ACTION

DIRECT IMPINGEMENT

MODEL

20" RIFLE



MOA
GUARANTEE

WEIGHT
7 LBS

CALIBER
6.5 CM

LENGTH
41 IN

ITS ABOUT THE WEIGHT AND THE SAVINGS

THE ALL NEW PRESCOTT Project "Rogue" was an exercise to turn the Revolution platform into the lightest semi auto rifle on the market, and to do it without needless "lightening" cuts. Built on the Rogue platform, the Prescott makes hunting with a semi-auto reality. At 7 pounds, the Prescott is built for the great outdoors. The Prescott is available in both 6.5 Creedmoor and 6MM Creedmoor.



LIGHTWEIGHT ROGUE
RECEIVER



RENEGADE RAIL + HEAT
SINK BARREL NUT



ANTI-TILT
BUFFER TUBE

STANDARD FEATURES

- Match Grade 4150 Steel Barrel
- Rifle Length Gas System
- Direct Impingement Action
- E2 Extraction Technology
- (1) 20rd Magazine

PATENTED TECHNOLOGY



E² Chamber



Heat Sink
Barrel Nut



Roller
Cam Pin

LEARN MORE



RENEGADE+

ACTION

DIRECT IMPINGEMENT



MOA
GUARANTEE

MODEL

16.5" RIFLE

WEIGHT

6.3 LBS

CALIBER

5.56 NATO | 300 BLK

LENGTH

34 IN

EXCEED ALL EXPECTATIONS

When we decided to make a direct impingement rifle, it couldn't be another "me-too" carbine. The Renegade + is built off of our Gen 4 billet lower receiver. This receiver is completely ambidextrous and includes our flat 3.5 lb match grade trigger with KNS Precision anti-walk pins. The Renegade + comes with our M-LOK compatible Renegade rail, covering the 16.5" nitride heat treated barrel.



GEN 4 AMBI LOWER RE-CEIVER



MATCH GRADE TRIGGER



ANTI-TILT
BUFFER TUBE



STANDARD FEATURES

Nitride Treated 4150 Chrome Vanadium Barrel

Rifle Length Gas System

Dictator Adjustable Gas Block

Tomahawk Charging Handle

3.5lb Flat Profile Trigger

PATENTED TECHNOLOGY



E² Chamber



Heat Sink
Barrel Nut



Roller
Cam Pin

LEARN MORE




P415 EDGE

ACTION
GAS PISTON

MODEL
16.5" RIFLE

SBR CONFIGURATION
SHOWN



MOA
GUARANTEE


WEIGHT 7 LBS	CALIBER 5.56 NATO 300 BLK	LENGTH 34 IN
------------------------	---------------------------------------	------------------------

UNSTOPPABLE IN UNFAVORABLE CONDITIONS

The P415 Edge is a product of continuous development and improvement to the AR platform. E2 Extraction Technology, ambidextrous controls, modular free floating rail platform, and numerous internal improvements. To minimize weigh, the new P415 Edge Rifle features a redesigned handguard, reducing size by nearly 20%. These improvements drop the weight down to 7 lbs.



GEN 4 AMBI LOWER RE-
CEIVER



EDGE RAIL + HEAT SINK
BARREL NUT



ANTI-TILT
BUFFER TUBE

STANDARD FEATURES

Nitride Treated 4150 Chrome
Vanadium Barrel
Piston Driven Action
GEN4 Lower Receiver
Black Anodized or Burnt Bronze
Cerakote Finish

PATENTED TECHNOLOGY



E² Chamber



Heat Sink
Barrel Nut



Roller
Cam Pin

LEARN MORE



M/NUTEMAN

ACTION
DIRECT IMPINGEMENT




MOA
GUARANTEE

MODEL
16.5" RIFLE

WEIGHT 6.2 LBS	CALIBER 5.56 NATO 300 BLK	LENGTH 34 IN
--------------------------	---------------------------------------	------------------------

READY AT A MOMENTS NOTICE

Minutemen were civilian colonists tasked with being a defensive force to be prepared at a moments notice. They took it upon themselves to be trained in various weapons and tactics. We deeply admire their patriotism and self-reliance. The "Minuteman" is our twist on what a direct impingement sporting carbine should be, topped with the controls and enhancements most important to remain mobile and light. The Minuteman has everything a respectable rifle needs and nothing it doesn't. Mount your favorite optic and the Minuteman is ready for the range or the field right out of the box. Go ahead and stack these features up to your favorite "other brand" carbine. We think you'll be impressed.



PATENTED ROLLER
CAM PIN



MATCH GRADE TRIGGER



ANTI-TILT
BUFFER TUBE

STANDARD FEATURES

- Nitride Treated 4150 Chrome Vanadium Barrel
- Mid-Length Gas System
- Strike Eagle Charging Handle
- Anodized or Cerakote Finish
- 3.5lb Flat Profile Trigger

PATENTED TECHNOLOGY



E² Chamber



Heat Sink
Barrel Nut



Roller
Cam Pin

LEARN MORE



WONDER

ACTION

DIRECT IMPINGEMENT

MODEL

16.5" RIFLE

WEIGHT
6.2 LBS

CALIBER
5.56 NATO


LENGTH
32 IN



MOA
GUARANTEE

ABOUT WONDER

The Wonder provides a beautiful balance between utility and luxury. It features our ambidextrous rear sling mount, Renegade Rail with patented heat sink barrel nut, DI bolt carrier group with Roller Cam Pin, single stage straight match grade trigger, our new Strike Eagle Ambi Charging Handle, and our new Micro B single port muzzle brake.



PATENTED ROLLER
CAM PIN



MATCH GRADE TRIGGER



ANTI-TILT
BUFFER TUBE



STANDARD FEATURES

MIL-SPEC Upper Receiver

Carbine Length Gas System

Strike Eagle Charging Handle

Blue Titanium Cerakote

3.5lb Flat Profile Trigger

PATENTED TECHNOLOGY



E² Chamber



Heat Sink
Barrel Nut



Roller
Cam Pin

LEARN MORE



PSG .22

ACTION

DIRECT BLOWBACK

MODEL

8" PISTOL

WEIGHT
3.3 LBS

CALIBER
.22 LR

LENGTH
22 IN

ABOUT PSG-22

Our love of shooting, training, and prepping future shooters were the driving factors of development. We had to bring a quality to this platform which hasn't been seen before. Aside from its light weight of just over 3lbs, the PSG 22 is equipped with a rear Q.D. mount for single point slings, Enhanced Pressure Device, and threaded barrel ready for your suppressor. The receiver accepts AR-15 pattern stock and brace options, and the trigger and selector are also compatible with AR-15 options. The PSG 22 features a monolithic upper receiver and injection molded lower receiver. To top it off, it accepts the widely available 10/22[®] magazine



MONOLITHIC UPPER RECEIVER



10/22 MAGAZINE COMPATIBLE



ENHANCED PRESSURE DEVICE

STANDARD FEATURES

- Match Grade Barrel
- Monolithic Upper Receiver
- (1) 10rd Magazine
- Injection Molded Lower Receiver
- 1/2x28 Muzzle Threads

LEARN MORE



ACCESSORY PARTS

MIL-SPEC UPGRADES

Quit Settling For "good Enough"

When it's time to enhance your AR, look no further than POF-USA. Our proprietary parts are available on their own, empowering you to upgrade to some of the best accessories on the market. See more at POF-USA.com



LEARN MORE

AMBI CHARGING HANDLES



Billet machined to exacting standards. Full ambi, and finished with type-III hardcoat anodizing.

DICTATOR ADJUSTABLE GAS BLOCK

Our 9-position adjustable gas block features a straight tube to reduce heat build up.



KEYLOCK BOLT CARRIER GROUP

Ultimate Durability. Keylocked, staked, and bolted in. This carrier provides superior gas key stability.



ANTI-TILT BUFFER TUBE



Eliminate stock rotation and prevent carrier tilt by supporting the back of the carrier, as well as reducing wear and tear on the bolt carrier and the buffer tube.

ROLLER CAM PIN UPGRADE

Never worry about cam slot wear again. Cam pin upgrade kit features a rounded pin for reduced drag.



M-LOK HANDSTOP KIT



Specifically designed for use on M-Lok compatible rail systems. Includes mounting hardware.

SINGLE STAGE & MATCH TRIGGERS



4lb Single Stage EFP POF Drop-in trigger with KNS anti-walk pins.



4.5lb Curved POF Drop-in trigger with KNS anti-walk pins.



3.5lb Straight POF Drop-in trigger with KNS anti-walk pins.

MUZZLE BRAKES, FLASH HIDERS, AND LOCK NUTS



OVERSIZED BOLT CATCH





Phone: 623.561.9572

Web: POF-USA.COM

Product Questions:
Sales@POF-USA.COM

Technical Support:
Technical@POF-USA.COM